


Monitor

Erste Schritte / Getting Started

Deutsch, English, Français,
Español, Português, Italiano,
Svenska, Nederlands, Dansk,
Suomi, Русский, Norsk,
Eesti keel, Ελληνικά,
Lietuviškas, Latviski, Polski,
Slovensko, Slovenský,
Česky, Magyar

SCALEOVIEW L19-5





Sie haben ...

... technische Fragen oder Probleme?

Wenden Sie sich bitte an
unseren Help Desk (siehe Garantieheft).

Aktuelle Informationen zu unseren Produkten, Tipps, Updates usw. finden Sie im Internet:

<http://www.fujitsu-siemens.com>

Are there ...

... any technical problems or other questions you need clarified?

Please contact
our Help Desk (see Warranty Booklet).

The latest information on our products, tips, updates, etc., can be found on the Internet under:

<http://www.fujitsu-siemens.com>



SCALEOVIEW L19-5

Technical data

Dimensions and weight (LCD monitor)

Visible diagonals:	48 cm (19")
Screen size :	376 mm x 301 mm
Dimensions (W x H x D)	
incl. monitor base :	406 mm x 406 mm x 209 mm
Dimensions box (W x H x D):	468 mm x 498 mm x 156 mm
Weight :	approx. 5,1 kg
Dot pitch :	0,294 mm
Maximal resolution :	1280 x 1024 pixels

Electical data

Video:	analogue, positiv, 0.7 Vpp, 75 Ω ; digital, DVI-D
Synchronisation :	Seperate Synch. TTL, positive or negative
Horizontal frequency:	30 kHz 83 kHz
Refresh rate:	55 Hz 76 Hz
Maximum pixel rate:	135 MHz
Power supply:	switches automatically 100 V – 240 V, 50 Hz – 60 Hz, 1.0 A max.
Total power consumption:	< 45 W < 2 W in the energy-saving mode

Environmental conditions

Environment class 3K2, IEC 721

Operating range:	5 °C 35° C
Humidity:	20 % 85 %

Condensation must be avoided.

Preset operating modes

The picture position and size have been set set to optimum values at the factory for the operating modes listed above.

Horizontal frequency	Refresh rate	Display resolution
31.5 kHz	70 Hz	720 x 400
31.5 kHz	60 Hz	640 x 480
37.5 kHz	75 Hz	640 x 480
37.9 kHz	60 Hz	800 x 600
46.9 kHz	75 Hz	800 x 600
48.4 kHz	60 Hz	1024 x 768
60.0 kHz	75 Hz	1024 x 768
64.0 kHz	60 Hz	1280 x 1024
79.9 kHz	75 Hz	1280 x 1024



Dieses Handbuch wurde erstellt von
cognitas. Gesellschaft für Technik-Dokumentation mbH – www.cognitas.de

Herausgegeben von / Published by

Fujitsu Siemens Computers GmbH

Printed in China

AG 1106 11/06

Ausgabe/Edition 1

Bestell-Nr./Order No.: **A26361-K1152-Z200-1-M119**

Edition 1





SCALEOVIEW L19-5

**Erste Schritte
Getting Started**

**Ausgabe November 2006
November edition**

Deutsch
Magyar
Русский

English
TCO
Norsk

Français
WEEE
Eesti keeles

Español
Ελληνικά

Português
Lietuviškas



Italiano
Latviski

Svenska
Polski

Nederlands
Slovensko

Dansk
Slovenský

Suomi
Česky





VESA, DDC und DPMS sind eingetragene Warenzeichen der Video Electronics Standards Association.

Alle Rechte vorbehalten, insbesondere (auch auszugsweise) die der Übersetzung, des Nachdrucks, der Wiedergabe durch Kopieren oder ähnliche Verfahren.

Zuwiderhandlungen verpflichten zu Schadenersatz.

Alle Rechte vorbehalten, insbesondere für den Fall der Patenterteilung oder GM-Eintragung.

Liefermöglichkeiten und technische Änderungen vorbehalten.

Keine Haftung für Inhalt und Druckfehler

Copyright © Fujitsu Siemens Computers GmbH 2005

VESA, DDC and DPMS are registered trademarks of Video Electronics Standards Association.

All rights, including rights of translation, reproduction by printing, copying or similar methods, even of parts are reserved.

Offenders will be liable for damages.

All rights, including rights created by patent grant or registration of a utility model or design, are reserved.

Delivery subject to availability. Right of technical modification reserved.

No liability for content and printing error

