



LGE Monitor-Kalibrierungsbericht

Validierungsergebnis



	(x,y)
Weißpunkt	0,3116 ,0,3327
Red	0,6755 ,0,3233
Green	0,2567 ,0,6813
Blue	0,1449 ,0,0591

	Ziel	Strom	Abweichung
Maximale Helligkeit	140 cd/m ²	137,53 cd/m ²	1,76 %
Schwarzwert	Min	0	--
Farbtemperatur	6500 °K	6540,39 °K	0,62 %
Gamma	2,20	2,19	0,45 %

Farbfelder				Farbtemperatur
	000	000	000	--
	012	012	012	5537,9
	025	025	025	6340,7
	038	038	038	6279,5
	051	051	051	6245,6
	063	063	063	6176,0
	076	076	076	6228,9
	089	089	089	6260,9
	102	102	102	6327,7
	114	114	114	6358,3
	127	127	127	6363,0
	140	140	140	6393,6
	153	153	153	6423,3
	165	165	165	6437,9
	178	178	178	6463,4
	191	191	191	6495,9
	204	204	204	6533,7
	216	216	216	6525,6
	229	229	229	6520,8
	242	242	242	6524,3
	255	255	255	6540,4

Farbfelder			Labor, das die Messung vorgenommen hat				dE 94	dE 2000
	000	000	000	000,000	000,000	000,000	--	--
	012	012	012	001,364	000,297	000,166	0,439	0,498
	025	025	025	004,837	000,404	-000,057	0,741	0,708
	038	038	038	011,739	000,498	000,210	1,119	0,991
	051	051	051	019,043	-000,562	001,160	1,418	1,451
	063	063	063	025,082	-000,598	001,588	1,777	1,799
	076	076	076	031,279	-000,663	001,575	1,771	1,831
	089	089	089	037,035	-000,825	001,663	1,942	2,048
	102	102	102	042,502	-000,900	001,472	1,878	2,039
	114	114	114	047,458	-000,942	001,400	1,876	2,080
	127	127	127	052,568	-001,168	001,582	2,210	2,465
	140	140	140	057,384	-001,331	001,547	2,444	2,704
	153	153	153	062,192	-001,500	001,497	2,634	2,899
	165	165	165	066,605	-001,673	001,532	2,831	3,106
	178	178	178	071,257	-001,735	001,406	2,908	3,147
	191	191	191	075,956	-001,972	001,315	3,032	3,358
	204	204	204	080,365	-002,157	001,126	3,230	3,556
	216	216	216	084,787	-002,258	001,248	3,216	3,635
	229	229	229	089,527	-002,340	001,335	3,173	3,692
	242	242	242	094,449	-002,418	001,344	3,009	3,710
	255	255	255	099,314	-002,446	001,198	2,809	3,658
	000	000	127	013,991	046,316	-066,246	0,571	0,437
	000	000	255	033,386	079,084	-111,758	0,223	0,186
	000	127	000	044,590	-067,242	059,567	1,104	0,984
	000	127	127	046,944	-038,044	-011,432	1,344	1,369
	000	127	255	053,770	016,465	-076,874	1,346	1,431
	000	255	000	085,869	-116,520	098,889	0,200	0,133
	000	255	127	087,064	-104,183	049,547	0,191	0,126
	000	255	255	089,903	-067,357	-018,618	0,565	0,559
	127	000	000	026,093	054,154	044,540	1,512	1,258
	127	000	127	030,492	063,003	-037,706	1,702	1,437
	127	000	255	042,051	086,014	-097,195	0,815	0,905
	127	127	000	050,693	-014,797	069,913	1,316	1,386
	127	127	255	058,674	033,468	-067,207	0,822	0,758
	127	255	000	088,357	-089,641	102,898	0,786	0,652
	127	255	127	089,161	-078,242	055,786	0,590	0,494
	127	255	255	091,852	-048,490	-014,030	0,394	0,336
	255	000	000	054,977	091,808	093,718	1,432	1,353
	255	000	127	056,792	095,424	006,940	1,620	1,467
	255	000	255	062,309	107,578	-062,872	1,532	1,298
	255	127	000	067,690	052,652	098,186	1,173	1,078
	255	127	127	068,913	056,694	028,423	1,357	1,252
	255	127	255	073,043	072,626	-044,117	1,480	1,229
	255	255	000	096,857	-026,269	117,028	1,486	1,771
	255	255	127	097,203	-020,356	069,362	1,579	1,679

	dE 94	dE 2000
Durchschnitt	1,55	1,62
Weißpunkt	2,81	3,66