





LGE Monitor-Kalibrierungsbericht

Validierungsergebnis



	(x,y)
Weißpunkt	0,3126 ,0,3239
Red	0,6404 ,0,3289
Green	0,3010 ,0,5943
Blue	0,1505 ,0,0674

	Ziel	Strom	Abweichung
Maximale Helligkeit	140 cd/m ²	140,96 cd/m ²	0,69 %
Schwarzwert	Min	0,083	--
Farbtemperatur	6500 °K	6547,73 °K	0,73 %
Gamma	2,20	2,21	0,27 %



Farbfelder				Farbtemperatur
	000	000	000	--
	012	012	012	8201,8
	025	025	025	6854,2
	038	038	038	6807,7
	051	051	051	6779,1
	063	063	063	6762,8
	076	076	076	6742,4
	089	089	089	6752,8
	102	102	102	6747,0
	114	114	114	6731,7
	127	127	127	6736,5
	140	140	140	6739,2
	153	153	153	6725,5
	165	165	165	6720,6
	178	178	178	6709,1
	191	191	191	6695,6
	204	204	204	6621,3
	216	216	216	6656,7
	229	229	229	6632,2
	242	242	242	6538,2
	255	255	255	6547,5

Farbfelder			Labor, das die Messung vorgenommen hat				dE 94	dE 2000
	000	000	000	000,535	000,004	-000,292	--	--
	012	012	012	000,896	000,221	-000,430	0,519	0,547
	025	025	025	005,484	001,199	-001,182	1,684	2,074
	038	038	038	012,721	000,183	-000,790	0,811	0,821
	051	051	051	019,892	000,210	-000,900	0,959	0,951
	063	063	063	025,796	001,072	-001,490	1,845	2,109
	076	076	076	031,766	002,131	-002,171	3,043	3,617
	089	089	089	037,890	001,942	-002,215	2,959	3,440
	102	102	102	043,605	001,808	-002,222	2,888	3,311
	114	114	114	048,446	002,588	-002,709	3,750	4,369
	127	127	127	053,767	002,481	-002,766	3,720	4,282
	140	140	140	058,916	001,905	-002,531	3,174	3,567
	153	153	153	063,954	002,596	-002,959	3,941	4,496
	165	165	165	068,407	002,447	-002,917	3,809	4,319
	178	178	178	073,519	002,354	-002,873	3,736	4,212
	191	191	191	078,140	002,312	-002,829	3,666	4,141
	204	204	204	082,848	002,734	-002,603	3,792	4,483
	216	216	216	087,107	002,852	-002,991	4,153	4,783
	229	229	229	091,599	002,439	-002,595	3,583	4,159
	242	242	242	095,954	003,206	-002,299	3,958	4,899
	255	255	255	100,265	002,591	-002,015	3,293	4,080
	000	000	127	014,927	043,641	-063,797	2,381	2,010
	000	000	255	035,173	072,603	-105,875	3,290	3,044
	000	127	000	046,099	-050,567	049,043	0,361	0,359
	000	127	127	048,337	-026,331	-011,396	2,549	2,600
	000	127	255	055,057	020,712	-072,762	0,903	0,717
	000	255	000	087,677	-084,584	081,366	0,389	0,387
	000	255	127	088,468	-074,541	043,786	0,856	0,810
	000	255	255	091,161	-045,586	-016,273	1,688	1,700
	127	000	000	025,775	048,605	039,329	0,533	0,539
	127	000	127	030,237	060,189	-038,256	0,785	0,704
	127	000	255	042,183	082,890	-094,025	1,299	1,185
	127	127	000	051,877	-011,188	056,029	0,883	0,993
	127	127	255	059,563	035,175	-065,274	0,852	0,751
	127	255	000	089,934	-065,960	084,106	0,444	0,443
	127	255	127	090,680	-057,589	047,011	0,830	0,828
	127	255	255	093,278	-032,760	-012,917	1,881	1,897
	255	000	000	053,864	081,322	067,327	0,706	0,712
	255	000	127	055,650	085,943	002,218	1,173	1,059
	255	000	255	061,186	099,517	-061,764	0,901	0,794
	255	127	000	067,515	044,486	073,532	0,872	1,007
	255	127	127	068,754	050,117	020,594	1,621	1,651
	255	127	255	072,812	066,750	-043,541	0,829	0,708
	255	255	000	097,160	-019,164	092,678	0,904	1,033
	255	255	127	097,777	-014,123	057,256	1,211	1,300

	dE 94	dE 2000
Durchschnitt	1,94	2,13
Weißpunkt	3,29	4,08