

Colorimetric Report

Page (1/1)



CCalc 2.7
 Copyright © 2024, Denis Freund
 All Rights Reserved
 lic. for PRAD ProAdviser

Date	Tuesday, May 5, 2026
Tester	Simon Blohm
Display	MSI MPG 341CQRDE QD-OLED X36
Sensor	X-Rite i1 Display Pro (Corr.: Generic)
Testchart	Only neutral colours
Target	Greybalance
Display Profile	Not considered
Rendering Intent	-

White Point (CCT)	6260 Kelvin
White Point XYZ (normalized)	94.62 100.00 104.19
DeltaE to D50/ D65	16.47/ 3.01
Assumed Target Whitepoint (1)	6300 Kelvin
DeltaE to Assumed Target Whitepoint	1.24
Brightness	192.37 cd/m ²
Black Point	0.00 cd/m ²
Contrast (x:1)	-
Gradation (Average)	2.26

(1) Daylight

	Percent	Kelvin	Delta C	Delta E	Gamma
	5	-	-	-	-
	10	6054	0.28	-	2.33
	15	6055	0.43	-	2.31
	20	6020	0.65	-	2.30
	25	6186	0.34	-	2.30
	30	6205	0.35	-	2.30
	35	6188	0.40	-	2.29
	40	6223	0.29	-	2.27
	45	6201	0.79	-	2.27
	50	6189	0.58	-	2.26
	55	6169	0.66	-	2.25
	60	6235	0.46	-	2.22
	65	6272	0.30	-	2.22
	70	6286	0.34	-	2.22
	75	6258	0.54	-	2.23
	80	6246	0.30	-	2.24
	85	6252	0.32	-	2.22
	90	6246	0.50	-	2.23
	95	6256	0.12	-	2.22
	100 (2)	6260	-	-	-
	Average (3)	-	0.43	-	2.26
	Maximum (3)	-	0.79	-	-
	Range (3)	-	0.84	-	-

(2) Visual adaptation to display whitepoint is assumed
 (3) Only luminance > 1% considered

Corresponding Gamma

